


DEBARULERS – TECHNICAL RIDER 2026

1. GENERAL INFORMATION



Band: DEBARULERS

Line-up: 4 musicians

- Lead Vocals / Rhythm Guitar
- Lead Guitar / Backing Vocals
- Bass / Backing Vocals
- Drums / Backing Vocals

Set length: 45–75 minutes

Soundcheck: 45–60 minutes

Power: 230V outlets near backline

Technical contact: _____

2. PATCH LIST – FULL SETUP

Ch	Source	Mic / DI
1	Lead Vocal	SM58
2	Back Vocal – Guitar	E835
3	Back Vocal – Bass	E835
4	Back Vocal – Drums	E835
5	Bass DI	Radial JDI / Torpedo Cab
6	Kick	Beta91 / Beta52
7	Snare	Beta57 / SM57
8	Overhead L	Condenser
9	Overhead R	Condenser
10	Lead Guitar – EVH 5150 50W	SM57 / e906
11	Rhythm Guitar – Orange Tremlord 30W	SM57 / e906
12	Tom 1	Clip mic
13	Tom 2	Clip mic
14	Floor Tom	Clip mic
15	Hi-Hat	Condenser

PATCH LIST – REDUCED SETUP

Ch	Source	Mic / DI
1	Lead Vocal	SM58
2	Back Vocal – Guitar	E835
3	Back Vocal – Bass	E835
4	Back Vocal – Drums	E835
5	Bass DI	Radial JDI / Torpedo Cab
6	Kick	Dynamic
7	Snare	Dynamic
8	Overhead L	Condenser (optional)
9	Overhead R	Condenser (optional)
10	Lead Guitar – EVH 5150 50W	Optional mic
11	Rhythm Guitar – Orange Tremlord 30W	Optional mic

3. BACKLINE PROVIDED BY THE BAND

- Drum kit (kick, snare, toms, cymbals, hardware)
- Orange Tremlord 30W tube combo
- EVH 5150 50W tube combo
- Markbass 250W Combo (bass)
- Radial JDI / Torpedo Cab (bass DI)
- Vocal microphones (SM58 x3 / E835 x3)

4. REQUIRED FROM VENUE

- FOH mixing console
- PA system adapted to venue size
- 4 monitor wedges preferred (3 minimum)
- Drum microphones
- Guitar microphones
- Stands and cables

5. MONITORING PREFERENCES

- Lead vocal present in all wedges
- Kick and bass prominent in drum mix
- Minimal guitars in lead vocal mix